

# Direct4.me...

Stretching possibilities

WE  
**COMPLETE eSHOPPING JOURNEYS**




WITH  
**PLATFORM-DRIVEN POST-PURCHASE  
SPACES**

Product catalogue  
2022

Direct4.me - The most flexible handover solution in the market.

## OOH STRETCHED TO HOME DELIVERY — ONE SOLUTION DOES IT ALL.

<b>Autonomous</b>	Battery powered parcel lockers, energy efficiency by design.
<b>Smart Without Internet Connectivity</b>	Direct4.me Spaces are smart devices without a built-in internet connection (i.e., Wi-Fi or SIM card) causing no communication costs. The mobile phone of a user delivering, receiving, or sending a parcel is used to exchange all the information needed to the back-end system.
<b>Flexible</b>	Adaptable to any situation — courier agnostic network or courier own network, Click & Collect, multi-apartment buildings, houses.
<b>No Mobile App Required</b>	Works with any phone, with or without a mobile app, with or without registration.



## The Power of Software

Direct4.me comes with a full-scope software to support your business including cloud-native solution with all interfaces from mobile apps, web portals to API integration framework. An out-of-the-box complete solution to start immediately, integrate, and optimize as your business grows.



Direct4.me Platform



Direct4.me Business Management Portal



Direct4.me Business Mobile App



Direct4.me Network Management Mobile App



Direct4.me Customer Mobile App



Integration interfaces



Direct4.me Interactive Voice Response (IVR) Phone Service



# D-Spaces

D-Space is a smart parcel locker and the answer to the challenges of modern ways of online shopping, where delivery is the weakest link. Mounted to your house, apartment building, retirement home, or company building, it creates a world where all parcels are always safely delivered directly to your doorstep.

Providing a seamless delivery experience to everyone – the online store, couriers, and customers, our D-Spaces come in various dimensions, both modular and stackable, to create a virtual parcel locker of any capacity.

They can be wall-mounted or built-in on Dock-Stand and are suitable to use in- and outdoors. All D-Spaces come with Data-over-Voice (DOV) communication (open with any phone), as well as an ePaper display, Bluetooth, and NFC.

**Ready for deliveries in less than 10 minutes**

**Battery operated with 2 years battery life**


**No wiring, no wi-fi, with limitless options for installation**

**Various dimensions and models available**




- **D-Space 40N**
- **Home D-Space 40N**  
(With mail slot)
- **D-Space 80**
- **D-Space 160**
- **Home D-Space 160**  
(With mail slot)
- **Home Stand S**
- **Home Stand D**
- **Home Dock S**
- **Home Dock D**


## D-Space 40N




341 x 491 x 254 mm | 40 liter




## Home D-Space 40N (With mail slot)




341 x 491 x 254 mm | 40 liter




## D-Space 80




550 x 366 x 435 mm | 80 liter




550 x 735 x 435 mm | 160 liter




## D-Space 160




550 x 735 x 435 mm | 160 liter




## Home D-Space 160 (With mail slot)



## Home Stand S



Home Station Stand with floor mount, concrete floor required  
637 x 1505 x 438 mm




Standard configuration:

- 1 x D-Space 160


Possible D-Space configurations:

- 1 x Home D-Space 160
- 2 x D-Space 80

## Home Stand D



Home Station Stand with floor mount, concrete floor required  
637 x 1871 x 438 mm




Standard configuration:

- 1 x D-Space 160
- 1 x D-Space 80


Possible D-Space configurations:

- 1 x Home D-Space 160, 1 x D-Space 80
- 3 x D-Space 80

## Home Dock S



Home Station Dock on self-standing concrete platform  
1150 x 1715 x 800 mm




Standard configuration:

- 1 x D-Space 160


Possible D-Space configurations:

- 1 x Home D-Space 160
- 2 x D-Space 80

## Home Dock D



Home Station Dock on self-standing concrete platform  
1152 x 2081 x 800 mm



Standard configuration:

- 1 x D-Space 160
- 1 x D-Space 80

Possible D-Space configurations:

- 1 x Home D-Space 160, 1 x D-Space 80
- 3 x D-Space 80

## Standard D-Space features

<b>Material</b>	<ul style="list-style-type: none"><li>· Durable zinc-protected sheet metal, powder coated</li></ul>
<b>Colors</b>	<ul style="list-style-type: none"><li>· Anthracite standard</li><li>· Other colors per request</li></ul>
<b>Installation options</b>	<ul style="list-style-type: none"><li>· Suitable for indoor and outdoor use</li><li>· Wall-mount</li><li>· Dock mount</li></ul>
<b>Area of use</b>	<ul style="list-style-type: none"><li>· Residential (single home, multi-apartment)</li><li>· eCommerce Click &amp; Collect</li><li>· Public parcel lockers</li></ul>
<b>Power Supply</b>	<ul style="list-style-type: none"><li>· Standard alkaline batteries 4 x AA 1,5V</li></ul>
<b>Communications</b>	<ul style="list-style-type: none"><li>· Patented DoV (Data Over Voice) technology</li><li>· Bluetooth</li><li>· ePaper display with QR code and short messages displaying options</li><li>· All D-Spaces come with Direct4.me app &amp; feature phones support</li></ul>
<b>Operating conditions</b>	<ul style="list-style-type: none"><li>· Temperature: -20 to +55 oC</li><li>· Relative humidity 5 to 100%</li><li>· IP54 compliant</li><li>· UV resistant materials</li></ul>
<b>Certifications and directives compliance</b>	<ul style="list-style-type: none"><li>· IP54 standard</li><li>· RED 2014/53/EU</li><li>· RoHS 2011/65/EU</li><li>· IEC 62368-1:2014</li><li>· EN 62368-1:2014 + A 11:2017</li><li>· EN 303446-1</li><li>· EN 300 330</li></ul>



# DockSpaces

Grow parcel capacity according to your needs. Stack D-Spaces to DockSpaces to serve the needs of the community and Click & Collect solutions.

Stretch the convenience of online shopping to your local pick-up point and offer a unique convenience and frictionless customer experience to your customers. Start small and grow by adding additional D-Spaces or even DockSpaces. Without any special preparation, placed on any existing flat surface, DockSpaces can be set up and used in under 5 minutes. Drop & Play!

Parcel capacity tailored to your needs

Successful first-attempt delivery

Smart solutions for smart cities

Unlimited opportunities for upsell and cross sell optimization


- DockSpace S / SR
- DockSpace D / DR
- DockSpace T / TR

\* DockSpaces are available in various configuration of D-Spaces.





## Dock-Stand S with Portable Concrete Base 1150 x 1963 x 800 mm




### Standard configuration:

- 1x D-Space 160
- 2x D-Space 80


### Possible D-Space configurations:

- 2 x D-Space 160
- 4 x D-Space 80

## DockSpace S



## Dock-Stand D with Portable Concrete Base 1234 x 1963 x 800 mm



### Standard configuration:

- 2x D-Space 160
- 4x D-Space 80


### Possible D-Space configurations:

- 4 x D-Space 160
- 3 x D-Space 160, 2 x D-Space 80
- 1 x D-Space 160, 6 x D-Space 80
- 8 x D-Space 80

## DockSpace D



## Dock-Stand T with Portable Concrete Base 1234 x 1963 x 800 mm




### Standard configuration:

- 9x D-Space 40N


## DockSpace T



## DockSpace SR



**Dock-Stand S with Portable Concrete Base and Polycarbonate Dock-Roof**  
1150 x 2407 x 1092 mm



**Standard configuration:**

- 1x D-Space 160
- 2x D-Space 80


**Possible D-Space configurations:**

- 2 x D-Space 160
- 4 x D-Space 80

## DockSpace DR



**Dock-Stand D with Portable Concrete Base and Polycarbonate Dock-Roof**  
1350 x 2407 x 1092 mm



**Standard configuration:**

- 2x D-Space 160
- 4x D-Space 80


**Possible D-Space configurations:**

- 4 x D-Space 160
- 3 x D-Space 160, 2 x D-Space 80
- 1 x D-Space 160, 6 x D-Space 80
- 8 x D-Space 80

## DockSpace TR



**Dock-Stand T with Portable Concrete Base and Polycarbonate Dock-Roof**  
1350 x 2407 x 1092 mm



**Standard configuration:**

- 9x D-Space 40N

# Standard DockSpace features

<b>Material</b>	<ul style="list-style-type: none"> <li>· Durable zinc-protected sheet metal, powder coated</li> <li>· Roof material Polycarbonate</li> </ul>
<b>Colors</b>	<ul style="list-style-type: none"> <li>· Anthracite standard</li> <li>· Other colors per request</li> </ul>
<b>Installation options</b>	<ul style="list-style-type: none"> <li>· Suitable for indoor and outdoor use</li> <li>· Placed on a flat hard surface (i.e. concrete, plaster or similar)</li> <li>· DockSpaces can be transported and installed using a standard forklift / pallet trolley or crane</li> </ul>
<b>Area of use</b>	<ul style="list-style-type: none"> <li>· Residential (single home, multi-apartment)</li> <li>· eCommerce Click &amp; Collect</li> <li>· Public parcel lockers</li> </ul>
<b>Power Supply</b>	<ul style="list-style-type: none"> <li>· Standard alkaline batteries 4 x AA 1,5V</li> </ul>
<b>Communications</b>	<ul style="list-style-type: none"> <li>· Patented DoV (Data Over Voice) technology</li> <li>· Bluetooth</li> <li>· ePaper display with QR code and short messages displaying options</li> <li>· All D-Spaces come with Direct4.me app &amp; feature phones support</li> </ul>
<b>Direct4.me Sites</b>	<ul style="list-style-type: none"> <li>· DockSpaces and single D-Spaces can be combined in a virtual parcel locker site</li> <li>· Unlimited number of D-Spaces</li> </ul>
<b>Operating conditions</b>	<ul style="list-style-type: none"> <li>· Temperature: -20 to +55 oC</li> <li>· Relative humidity 5 to 100%</li> <li>· IP54 compliant</li> <li>· UV resistant materials</li> </ul>
<b>Certifications and directives compliance</b>	<ul style="list-style-type: none"> <li>· IP54 standard</li> <li>· RED 2014/53/EU</li> <li>· RoHS 2011/65/EU</li> <li>· IEC 62368-1:2014</li> <li>· EN 62368-1:2014 + A 11:2017</li> <li>· EN 303446-1</li> <li>· EN 300 330</li> </ul>

# MultiSpaces

Build your Out-Of-Home delivery network in minutes and grow according to parcel capacity demands. Expand and optimize last-mile infrastructure by using Direct4.me MultiSpace products instantly.

Combining the best of both worlds — traditional parcel lockers and our D-Spaces makes MultiSpace one of the most efficient solutions in the industry with the lowest total cost of ownership. Lean, battery-operated, eco, smart lockers at their best. Start small, grow big. Increase parcel capacity by adding more MultiSpaces to one location or adding new locations, where more MultiSpaces act as one parcel locker station.

Create your own delivery network, an open courier-agnostic network, or a Click & Collect point. Direct4.me does it all!

Various models and configurations  
Autonomously battery operated  
Ready in less than 10 minutes  
Digital proof of delivery trace  
DoV, NFC, and Bluetooth supported

- MultiSpace 13
- MultiSpace 17
- MultiSpace 21
- MultiSpace 27






1155 x 1976 x 724 mm

**13 compartments, 2 sizes:**

- 6 x S (W x H x D): 124 x 387 x 667 (30 liters)
- 7 x L (W x H x D): 438 x 387 x 667 (110 liters)




## MultiSpace 13



1155 x 1976 x 724 mm

**17 compartments, 3 sizes:**


- 9 x S (W x H x D): 124 x 387 x 667 (30 liters)
- 4 x M (W x H x D): 203 x 387 x 667 (50 liters)
- 4 x L (W x H x D): 438 x 387 x 667 (110 liters)



## MultiSpace 17




## MultiSpace 21




1155 x 1976 x 724 mm

### 21 compartments, 3 sizes:

- 15 x S (W x H x D): 124 x 387 x 667 (30 liters)
- 4 x M (W x H x D): 203 x 387 x 667 (50 liters)
- 2 x L (W x H x D): 438 x 387 x 667 (110 liters)




## MultiSpace 27



1155 x 1976 x 724 mm

### 27 compartments, 1 size:

- 124 x 387 x 667 mm (30 liters)



## Standard MultiSpace features

<b>Material</b>	<ul style="list-style-type: none"> <li>· Durable zinc-protected pre-painted sheet metal</li> <li>· Roof material Polycarbonate</li> </ul>
<b>Dimensions</b>	<ul style="list-style-type: none"> <li>· MultiSpace (W x H x D): 1155 x 1976 x 724 mm</li> </ul>
<b>Compartments dimensions</b>	<ul style="list-style-type: none"> <li>· S (W x H x D): 124 x 387 x 667 (30 liters)</li> <li>· M (W x H x D): 203 x 387 x 667 (50 liters)</li> <li>· L (W x H x D): 438 x 387 x 667 (110 liters)</li> </ul>
<b>Colors</b>	<ul style="list-style-type: none"> <li>· Anthracite and white standard</li> <li>· Other colors per request</li> </ul>
<b>Installation options</b>	<ul style="list-style-type: none"> <li>· Suitable for indoor and outdoor use</li> <li>· Placed on a flat hard surface (i.e. concrete, plaster or similar)</li> <li>· Levelling options +/-3cm</li> <li>· MultiSpaces can be transported and installed using a standard forklift / pallet trolley or crane</li> </ul>
<b>Area of use</b>	<ul style="list-style-type: none"> <li>· Residential multi-apartment</li> <li>· eCommerce Click &amp; Collect</li> <li>· Parcel lockers</li> </ul>
<b>Power Supply</b>	<ul style="list-style-type: none"> <li>· Integrated exchangeable rechargeable battery with lifespan over 5 years</li> <li>· Optional solar charger</li> </ul>
<b>Communications</b>	<ul style="list-style-type: none"> <li>· Patented DoV (Data Over Voice) technology</li> <li>· Bluetooth</li> <li>· ePaper display with QR code and short messages displaying options</li> <li>· Mobile App &amp; Feature phones support</li> </ul>
<b>Lighting</b>	<ul style="list-style-type: none"> <li>· Each parcel compartment illuminated upon opening</li> <li>· Additional light for exterior illumination (optional)</li> </ul>
<b>Direct4.me Sites</b>	<ul style="list-style-type: none"> <li>· MultiSpaces can be combined along with DockSpaces and single D-Spaces to a virtual parcel locker site</li> <li>· Unlimited number of MultiSpaces / D-Spaces can be used on a single location</li> </ul>
<b>Operating conditions</b>	<ul style="list-style-type: none"> <li>· Temperature: -20 to +55 oC</li> <li>· Relative humidity 5 to 100%</li> <li>· UV resistant materials</li> </ul>
<b>Certifications and directives compliance</b>	<ul style="list-style-type: none"> <li>· RED 2014/53/EU</li> <li>· RoHS 2011/65/EU</li> <li>· IEC 62368-1:2014</li> <li>· EN 62368-1:2014 + A 11:2017</li> <li>· EN 303446-1</li> <li>· EN 300 330</li> </ul>

HAVE A QUESTION?  
**CONTACT US!**

Sales Team  
**sales@direct4.me**

**Direct4me d.o.o.**  
Ob železnici 22, 1000 Ljubljana, Slovenia  
www.direct4.me | sales@direct4.me | info@direct4.me

Direct4.me is a registered trademark of Direct4me d.o.o.  
in EU and other countries. All other trademarks are the property  
of their respective owners.

© Direct4me d.o.o., Slovenia. All rights reserved.