

Direct4.me...

Stretching possibilities

WE
COMPLETE eSHOPPING JOURNEYS




WITH
**PLATFORM-DRIVEN POST-PURCHASE
SPACES**

Product catalogue
Spring 2022

Direct4.me - The most flexible handover solution in the market.

OOH STRETCHED TO HOME DELIVERY — ONE SOLUTION DOES IT ALL.

Autonomous	Battery powered parcel lockers, energy efficiency by design.
Smart Without Internet Connectivity	Direct4.me Spaces are smart devices without a built-in internet connection (i.e., Wi-Fi or SIM card) causing no communication costs. Mobile phone of a user delivering, receiving or sending a parcel is used to exchange all the information needed to the back-end system.
Flexible	Adaptable to any situation — courier agnostic network or courier own network, click&collect, multi-apartment buildings, houses.
No Mobile App Required	Works with any phone, with or without a mobile app, with or without registration.



The Power of Software

Direct4.me comes with a full-scope software to support your business including cloud-native solution with all interfaces from mobile apps, web portals to API integration framework. An out of the box complete solution to start immediately and integrate, optimise as the business grows.



Direct4.me Platform



Direct4.me Business Management Portal



Direct4.me Business Mobile App



Direct4.me Network Management Mobile App



Direct4.me Customer Mobile App



Integration interfaces



Direct4.me Interactive Voice Response (IVR) Phone Service

D-Spaces

D-Space is a smart parcel locker and the answer to the challenges of modern ways of online shopping, where delivery is the weakest link. Mounted to your house, apartment building, retirement home, or company building, it creates a world where all parcels are always safely delivered directly to your doorstep.

Providing a seamless delivery experience to everyone – the online store, couriers, and customers, our D-Spaces come in various dimensions, both modular and stackable, to create a virtual parcel locker of any capacity.

They can be wall-mounted or built-in on Dock-Stand and are suitable to use in- and outdoor. All D-Spaces come with Data-over-Voice (DOV) communication (open with any phone), as well as ePaper display, Bluetooth, and NFC.

Ready for deliveries in less than 10 minutes

Battery operated with 2 years battery life


No wiring, no wi-fi, with limitless options for installation

Various dimensions and models available




- **D-Space 40N**
- **Home D-Space 40N**
(With mail slot)
- **D-Space 80**
- **D-Space 160**
- **Home D-Space 160**
(With mail slot)
- **Home Stand S**
- **Home Stand D**
- **Home Dock S**
- **Home Dock D**


D-Space 40N




341 x 491 x 254 mm | 40 liter




Home D-Space 40N (With mail slot)




341 x 491 x 254 mm | 40 liter




D-Space 80




550 x 366 x 435 mm | 80 liter




550 x 735 x 435 mm | 160 liter




D-Space 160




550 x 735 x 435 mm | 160 liter




Home D-Space 160 (With mail slot)



Home Stand S



Home Station Stand with floor mount, concrete floor required
637 x 1505 x 438 mm




Standard configuration:

- 1 x D-Space 160


Possible D-Space configurations:

- 1 x Home D-Space 160
- 2 x D-Space 80

Home Stand D



Home Station Stand with floor mount, concrete floor required
637 x 1871 x 438 mm




Standard configuration:

- 1 x D-Space 160
- 1 x D-Space 80


Possible D-Space configurations:

- 1 x Home D-Space 160, 1 x D-Space 80
- 3 x D-Space 80

Home Dock S



Home Station Dock on self-standing concrete platform
1150 x 1715 x 800 mm




Standard configuration:

- 1 x D-Space 160


Possible D-Space configurations:

- 1 x Home D-Space 160
- 2 x D-Space 80

Home Dock D



Home Station Dock on self-standing concrete platform
1152 x 2081 x 800 mm



Standard configuration:

- 1 x D-Space 160
- 1 x D-Space 80

Possible D-Space configurations:

- 1 x Home D-Space 160, 1 x D-Space 80
- 3 x D-Space 80

Standard D-Space features

Material	<ul style="list-style-type: none">· Durable zinc-protected metal sheets, powder coated
Colors	<ul style="list-style-type: none">· Anthracite standard· Other colors per request
Installation options	<ul style="list-style-type: none">· Suitable for indoor and outdoor use· Wall-mount· Dock mount
Area of use	<ul style="list-style-type: none">· Residential (single home, multi-apartment)· eCommerce click&collect· Public parcel lockers
Power Supply	<ul style="list-style-type: none">· Standard alkaline batteries 4 x AA 1,5V
Communications	<ul style="list-style-type: none">· Patented DoV (Data Over Voice) technology· Bluetooth· ePaper display with QR code and short messages displaying options· All D-Spaces come with Direct4.me app & feature phones support
Operating conditions	<ul style="list-style-type: none">· Temperature: -20 to +55 oC· Relative humidity 5 to 100%· IP54 compliant· UV resistant materials
Certifications and directives compliance	<ul style="list-style-type: none">· IP54 standard· RED 2014/53/EU· RoHS 2011/65/EU· IEC 62368-1:2014· EN 62368-1:2014 + A 11:2017· EN 303446-1· EN 300 330

DockSpaces

Grow parcel capacity according to your needs. Stack D-Spaces to DockSpaces to serve the needs of the community and click&collect solutions.

Stretch the convenience of online shopping to your local pick-up point and offer a unique convenience and frictionless customer experience to your customers. Start small and grow by adding additional D-Spaces or even DockSpaces. Without any special preparation, placed on any existing flat service, DockSpaces can be set up and used in under 5 minutes. Drop & Play!

Parcel capacity tailored to your needs

Successful first-attempt delivery

Smart solutions for smart cities


Unlimited opportunities for upsell and cross sell optimization

- DockSpace S / SR
- DockSpace D / DR
- DockSpace T / TR

* DockSpaces are available in various configuration of D-Spaces.



Dock-Stand S with Portable Concrete Base 1150 x 1963 x 800 mm




Standard configuration:

- 1x D-Space 160
- 2x D-Space 80


Possible D-Space configurations:

- 2 x D-Space 160
- 4 x D-Space 80

DockSpace S



Dock-Stand D with Portable Concrete Base 1234 x 1963 x 800 mm



Standard configuration:

- 2x D-Space 160
- 4x D-Space 80


Possible D-Space configurations:

- 4 x D-Space 160
- 3 x D-Space 160, 2 x D-Space 80
- 1 x D-Space 160, 6 x D-Space 80
- 8 x D-Space 80

DockSpace D



Dock-Stand T with Portable Concrete Base 1234 x 1963 x 800 mm




Standard configuration:

- 9x D-Space 40N


DockSpace T



DockSpace SR



Dock-Stand S with Portable Concrete Base and Polycarbonate Dock-Roof
1150 x 2407 x 1092 mm



Standard configuration:

- 1x D-Space 160
- 2x D-Space 80


Possible D-Space configurations:

- 2 x D-Space 160
- 4 x D-Space 80

DockSpace DR



Dock-Stand D with Portable Concrete Base and Polycarbonate Dock-Roof
1350 x 2407 x 1092 mm



Standard configuration:

- 2x D-Space 160
- 4x D-Space 80


Possible D-Space configurations:

- 4 x D-Space 160
- 3 x D-Space 160, 2 x D-Space 80
- 1 x D-Space 160, 6 x D-Space 80
- 8 x D-Space 80

DockSpace TR



Dock-Stand T with Portable Concrete Base and Polycarbonate Dock-Roof
1350 x 2407 x 1092 mm



Standard configuration:

- 9x D-Space 40N

Standard DockSpace features

Material	<ul style="list-style-type: none">· Durable zinc-protected metal sheets, powder coated· Roof material Polycarbonate
Colors	<ul style="list-style-type: none">· Anthracite standard· Other colors per request
Installation options	<ul style="list-style-type: none">· Suitable for indoor and outdoor use· Placed on a flat hard surface (i.e. concrete, plaster or similar)· DockSpaces can be transported and installed using a standard forklift / pallet trolley or crane
Area of use	<ul style="list-style-type: none">· Residential (single home, multi-apartment)· eCommerce click&collect· Public parcel lockers
Power Supply	<ul style="list-style-type: none">· Standard alkaline batteries 4 x AA 1,5V
Communications	<ul style="list-style-type: none">· Patented DoV (Data Over Voice) technology· Bluetooth· ePaper display with QR code and short messages displaying options· All D-Spaces come with Direct4.me app & feature phones support
Direct4.me Sites	<ul style="list-style-type: none">· DockSpaces and single D-Spaces can be combined in a virtual parcel locker site· Unlimited number of D-Spaces
Operating conditions	<ul style="list-style-type: none">· Temperature: -20 to +55 oC· Relative humidity 5 to 100%· IP54 compliant· UV resistant materials
Certifications and directives compliance	<ul style="list-style-type: none">· IP54 standard· RED 2014/53/EU· RoHS 2011/65/EU· IEC 62368-1:2014· EN 62368-1:2014 + A 11:2017· EN 303446-1· EN 300 330

MultiSpaces

Build your Out-Of-Home delivery network in minutes and grow according to parcel capacity demands. Expand and optimize last-mile infrastructure by using Direct4.me MultiSpace products instantly.

Combining best of both worlds – traditional parcel lockers and our D-Spaces makes MultiSpace one of the most efficient solutions in the industry with lowest total cost of ownership. Lean, battery-operated, eco smart lockers at its best.

Start small, grow big. Increase parcel capacity by adding more MultiSpaces to one location or adding new locations, where more MultiSpaces act as one parcel locker station.

Create your own delivery network, an open courier-agnostic network, or a click&collect point. Direct4.me does it all!

Various models and configurations

Autonomously battery operated

Ready in less than 10 minutes

Digital proof of delivery trace

DoV, NFC, and Bluetooth supported


- MultiSpace 13
- MultiSpace 17
- MultiSpace 21
- MultiSpace 27



1155 x 1976 x 724 mm

13 compartments, 2 sizes:

- 6 x S (W x H x D): 124 x 387 x 658 (30 liters)
- 7 x L (W x H x D): 438 x 387 x 658 (110 liters)




MultiSpace 13



1155 x 1976 x 724 mm

17 compartments, 3 sizes:


- 9 x S (W x H x D): 124 x 387 x 658 (30 liters)
- 4 x M (W x H x D): 203 x 387 x 658 (50 liters)
- 4 x L (W x H x D): 438 x 387 x 658 (110 liters)



MultiSpace 17




MultiSpace 21




1155 x 1976 x 724 mm

21 compartments, 3 sizes:

- 15 x S (W x H x D): 124 x 387 x 658 (30 liters)
- 4 x M (W x H x D): 203 x 387 x 658 (50 liters)
- 2 x L (W x H x D): 438 x 387 x 658 (110 liters)




MultiSpace 27



1155 x 1976 x 724 mm

27 compartments, 1 size:

- 124 x 387 x 658 mm (30 liters)



Standard MultiSpace features

Material	<ul style="list-style-type: none"> · Durable zinc-protected pre-painted metal sheets · Roof material Polycarbonate
Dimensions	<ul style="list-style-type: none"> · MultiSpace (W x H x D): 1155 x 1976 x 724 mm
Compartments dimensions	<ul style="list-style-type: none"> · S (W x H x D): 124 x 387 x 658 (30 liters) · M (W x H x D): 203 x 387 x 658 (50 liters) · L (W x H x D): 438 x 387 x 658 (110 liters)
Colors	<ul style="list-style-type: none"> · Anthracite and white standard · Other colors per request
Installation options	<ul style="list-style-type: none"> · Suitable for indoor and outdoor use · Placed on a flat hard surface (i.e. concrete, plaster or similar) · Levelling options +/-3cm · MultiSpaces can be transported and installed using a standard forklift / pallet trolley or crane
Area of use	<ul style="list-style-type: none"> · Residential multi-apartment · eCommerce click&collect · Parcel lockers
Power Supply	<ul style="list-style-type: none"> · Integrated exchangeable rechargeable battery with lifespan over 5 years · Optional solar charger
Communications	<ul style="list-style-type: none"> · Patented DoV (Data Over Voice) technology · Bluetooth · ePaper display with QR code and short messages displaying options · Mobile App & Feature phones support
Lighting	<ul style="list-style-type: none"> · Each parcel compartment illuminated upon opening · Additional light for exterior illumination (optional)
Direct4.me Sites	<ul style="list-style-type: none"> · MultiSpaces can be combined along with DockSpaces and single D-Spaces to a virtual parcel locker site · Unlimited number of MultiSpaces / D-Spaces can be used on a single location
Operating conditions	<ul style="list-style-type: none"> · Temperature: -20 to +55 oC · Relative humidity 5 to 100% · IP54 compliant · UV resistant materials
Certifications and directives compliance	<ul style="list-style-type: none"> · IP54 standard · RED 2014/53/EU · RoHS 2011/65/EU · IEC 62368-1:2014 · EN 62368-1:2014 + A 11:2017 · EN 303446-1 · EN 300 330

HAVE A QUESTION?
CONTACT US!

Sales Team
sales@direct4.me

Direct4me d.o.o.

Jarška cesta 10B, 1000 Ljubljana, Slovenia
www.direct4.me | sales@direct4.me | info@direct4.me

Direct4.me Inc.

228 Hamilton Avenue, Palo Alto CA 94301, USA

Direct4.me is a registered trademark of Direct4me d.o.o.
in EU and other countries. All other trademarks are the property
of their respective owners.

© Direct4me d.o.o., Slovenia. All rights reserved.